Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/18/2023 Revision date: 3/14/2024 Supersedes version of: 11/21/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : LEMONGRASS & GINGER
UFI : HG7E-23GU-400Q-6M1T
Type of product : Perfumes, fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances

Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LK Family Kft. Selmeci utca 23 Hungary, 9400, Sopron T: +3630/12-333-94

info@candlemarket.eu, www.candlemarket.eu

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

008 [CLP]



Labelling according to Regulation (EC) No. 1272/2

Hazard pictograms (CLP)



GHS07

: Warning

3HS09

Signal word (CLP)

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Precautionary statements (CLP)

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4 – 7.95	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.3 – 2.55	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

EN (English) 2/32

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	1.2 – 2.3	Flam. Liq. ¹ , H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.7 – 1.4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.709 – 1.3225	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.4 – 0.75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Elemi oil	CAS-No.: 8023-89-0	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1815	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Diphenyl oxide substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.002 - 0.005	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

¹ /14/2024 (Revision date) 3/14/2024 (Revision date)

EN (English) 3/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0028	Aquatic Chronic 3, H412
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.000495 – 0.0012375	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0007	Flam. Liq. 3, H226
Dimethyl sulfide substance with national workplace exposure limit(s) (BE, EE, ES, IE, LT, LV, PT, SE)	CAS-No.: 75-18-3 EC-No.: 200-846-2	0.000005 – 0.0000125	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

EN (English) 4/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact

: Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

: Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

3/14/2024 (Revision date) EN (English) 5/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool.

: Strong bases. Strong acids.

Incompatible products Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources. Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container. Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA 5 mg/m³	
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA) 40 mg/m³	
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	45 mg/m³
	10 ppm

Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
benzyl alcohol (100-51-6)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Lim	its	
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Dimethyl sulfide (75-18-3)		
Belgium - Occupational Exposure Limits		
OEL TWA	26 mg/m³	
	10 ppm	
Estonia - Occupational Exposure Limits		

OEL TWA	1 ppm (total concentration of Dimethyl disulphide, Dimethyl sulphide and Methyl mercaptan)
Ireland - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL STEL	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	50 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	1 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	10 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	10 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	1 ppm (total sum of Dimethyl disulfide, Dimethyl sulfide and Methyl thiol (Sulfides)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm

Diphenyl oxide (101-84-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	7 mg/m³
	1 ppm
IOEL STEL	14 mg/m³
	2 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	7 mg/m³
	1 ppm
MAK (OEL STEL)	14 mg/m³
	2 ppm
Belgium - Occupational Exposure Limits	

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

OEL TWA	7 mg/m³ (vapor)	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (vapor)	
	2 ppm (vapor)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	7 mg/m³	
	1 ppm	
KGVI (OEL STEL)	14 mg/m³	
	2 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	5 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	<u> </u>	

Diphenyl oxide (101-84-8)

BGW values are observed-vapor)		1 ppm	
Finland - Occupational Exposure Limits HTP (OEL TWA) 7 mg/m³ 1 ppm HTP (OEL STEL) 14 mg/m³ 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m² (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ (indicative limit) 5 ppm (indicative limit) 6 Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	 :L STEL	14 mg/m³	
Finland - Occupational Exposure Limits HTP (OEL TWA) 7 mg/m³ 1 ppm HTP (OEL STEL) 14 mg/m³ 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7 mg/m³ (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7 mg/m³ (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7 mg/m³ (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7 mg/m³ (indicative limit) 2 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm		2 ppm	
HTP (OEL TWA) 7 mg/m³ 1 ppm HTP (OEL STEL) 14 mg/m³ 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 6 ppm (indicative limit) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) 6 ppm (indicative limit) 7 ppm (indicative limit) 6 ppm (indicative limit) 6 ppm (indicative limit) 6 ppm (indicative limit) 6 ppm (indicative limit) 7 ppm (indicative limit) 6 ppm (indicative limit) 7 ppm (indicative limit) 7 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ 1 ppm 0 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ 1 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ 1 ppm (indicative limit) 1 ppm (indicative limit) 1 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 1 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 1 ppm (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ 2 ppm (indicative limit) 2 ppm (indicative limit) 3 ppm (indicative limit) 4 mg/m³ 2 ppm (indicative limit) 4 mg/m³ 2 ppm (indicative limit) 4 mg/m³ 2 ppm (indicative limit) 4 mg/m³			
HTP (OEL STEL) 14 mg/m³ 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) 6 germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7 ng/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 6 ibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm		7 ma/m³	
HTP (OEL STEL) 14 mg/m³ 2 ppm France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) 2 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	(OLL IWA)		
France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm			
France - Occupational Exposure Limits VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	P (OEL STEL)	14 mg/m³	
VME (OEL TWA) 7 mg/m³ (indicative limit) 1 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm		2 ppm	
1 ppm (indicative limit) VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	ance - Occupational Exposure Limits		
VLE (OEL C/STEL) 14 mg/m³ (indicative limit) 2 ppm (indicative limit) Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	IE (OEL TWA)	7 mg/m³ (indicative limit)	
2 ppm (indicative limit)		1 ppm (indicative limit)	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	E (OEL C/STEL)	14 mg/m³ (indicative limit)	
AGW (OEL TWA) 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG values are observed-vapor) Gibraltar - Occupational Exposure Limits 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm		2 ppm (indicative limit)	
BGW values are observed-vapor) 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	Germany - Occupational Exposure Limits (TRGS 900)		
Values are observed-vapor) Gibraltar - Occupational Exposure Limits OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm	iW (OEL TWA)	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
OEL TWA 7 mg/m³ 1 ppm OEL STEL 14 mg/m³ 200 ppm		1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	
1 ppm OEL STEL 14 mg/m³ 200 ppm	oraltar - Occupational Exposure Limits		
OEL STEL 14 mg/m³ 200 ppm	:L TWA	7 mg/m³	
200 ppm		1 ppm	
	EL STEL	14 mg/m³	
Greece - Occupational Exposure Limits		200 ppm	
	eece - Occupational Exposure Limits		
OEL TWA 7 mg/m³	EL TWA	7 mg/m³	
1 ppm		1 ppm	
OEL STEL 14 mg/m³	EL STEL	14 mg/m³	
2 ppm		2 ppm	
Hungary - Occupational Exposure Limits	ngary - Occupational Exposure Limits	•	
AK (OEL TWA) 7 mg/m³	(OEL TWA)	7 mg/m³	

CK (OEL STEL)	14 mg/m³
Ireland - Occupational Exposure Limits	
OEL TWA	7 mg/m³ (vapour)
	1 ppm (vapour)
OEL STEL	14 mg/m³ (vapour)
	2 ppm (vapour)
Italy - Occupational Exposure Limits	
OEL TWA	7 mg/m³
	1 ppm

Diphenyl oxide (101-84-8)	
Latvia - Occupational Exposure Limits	
OEL TWA	7 mg/m³
	1 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	7 mg/m³
	1 ppm
TPRV (OEL STEL)	14 mg/m³
	2 ppm
Luxembourg - Occupational Exposure Limits	
OEL TWA	7 mg/m³
	1 ppm
OEL STEL	14 mg/m³
	2 ppm
Malta - Occupational Exposure Limits	
OEL TWA	7 mg/m³
	1 ppm
OEL STEL	14 mg/m³
	2 ppm
Netherlands - Occupational Exposure Limits	

TGG-8u (OEL TWA)	7 mg/m³	
	1 ppm	
TGG-15min (OEL STEL)	14 mg/m³	
	2 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	7 mg/m³	
	1 ppm	
Diphenyl oxide (101-84-8)		
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
	1 ppm	
OEL STEL	14 mg/m³	
	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	7.1 mg/m³ (vapor)	
	I.	

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1	
	1 ppm (vapor)
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)
	2 ppm (vapor)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	7 mg/m³
	1 ppm
KGV (OEL STEL)	14 mg/m³
	2 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	7 mg/m³
	1 ppm
WEL STEL (OEL STEL)	14 mg/m³
	2 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	7 mg/m³
	1 ppm
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)
	2 ppm (value from the regulation)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	7 mg/m³ (aerosol, vapour)
	1 ppm (aerosol, vapour)
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)
	2 ppm (aerosol, vapour)
OEL chemical category	Category 2 reproductive toxin
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 ppm (vapor)
ACGIH OEL STEL	2 ppm (vapor fraction)

citral (5392-40-5)

Belgium - Occupational Exposure Limits

Latvia - Occupational Exposure Limits

OEL TWA

OEL TWA

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

OLE TWA	32 mg/m (vapor and aerosor)	
	5 ppm (vapor and aerosol)	
citral (5392-40-5)		
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

32 mg/m³ (vapor and aerosol)

10 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	10 mg/m³
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m³
	15 ppm
OEL STEL	200 mg/m³
	30 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)
	10 ppm (aerosol, vapour)

Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m³
	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment: Avoid

all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold : Not available

Melting point : Not applicable

Freezing point : Not available

Boiling point : Not available

Flammability : Not applicable, Combustible liquid

Lower explosion limit : Not available
Upper explosion limit : Not available

Flash point : 88 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available : Not available Density

Relative density : ≈ 1

Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight

LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)

Citrus medica limonum (Lemon) peel oil (8008-56-8)	
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 5.04 mg/l/4h

Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight

benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1570 mg/kg

Dimethyl sulfide (75-18-3)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA)
LD50 oral	3500 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat [ppm]	40250 ppm/4h

Diphenyl oxide (101-84-8)	
LD50 oral rat	2450 mg/kg (Source: NLM_CIP)
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)

LC50 Inhalation - Rat (Dust/Mist)		1.5 mg/l/4h
Elemi oil (8023-89-0)		
LD50 oral rat		3370 mg/kg (Source: NLM_CIP)
LD50 oral		3370 mg/kg
Triplal (Vertocitral) (68039-4	9-6)	
LD50 oral		2330 mg/kg
Lime oil distilled (8008-26-2	2)	
LD50 oral rat		5600 mg/kg
LD50 dermal rabbit		> 5000 mg/kg
citral (5392-40-5)		
LD50 oral rat		4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit		2250 mg/kg (Source: NLM_CIP)
Alcohol C-10 (112-30-1)		
LD50 oral rat		4720 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit		3560 mg/kg (Source: NLM_CIP)
Aldehyde C-6 (66-25-1)		
LD50 oral rat		4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit		> 8100 mg/kg (Source: ECHA_API)
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an a	allergic
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other

hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are

: not met

SECTION 12: Ecological

information

12.1. Toxicity

: The product is not considered harmful to aquatic Ecology - general

organisms nor to cause long-term adverse effects in the environment. Toxic to aquatic life with long lasting

effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus

carpio [flow-through] Source: ECHA)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)

LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
EC50 - Crustacea [2]	260 μg/l REACH Dossier

EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalool (78-70-6)	

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)

benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

D		
Dimethyl sulfide (75-18-3)		
LC50 - Fish [1]	213 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: Daphnia pulex)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
LEMONGRASS & GINGER WS #EU38361F		
Persistence and degradability	Not established.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
Citrus medica limonum (Lemon) peel oil (8008-56-8)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyli	ıdeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
Dimethyl sulfide (75-18-3)		
Persistence and degradability	Rapidly degradable	
Diphenyl oxide (101-84-8)		
Persistence and degradability	Rapidly degradable	
Elemi oil (8023-89-0)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
Lime oil distilled (8008-26-2)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

LEMONGRASS & GINGER WS #EU38361F	
Bioaccumulative potential	Not established.
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1] (1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7)	

benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05

	Diphenyl oxide (101-84-8)	
BCF - Fish [1] (470 dimensionless)		
	Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)

citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)

Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

3/14/2024 (Revision date) EN (English) 23/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

: Avoid release to the environment.

Ecological information

HP Code

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard	:lass(es)			
9	9	9	9	9
9	9	**************************************	9	**************************************
14.4. Packing group				
III	III	Ш	III	III
14.5. Environmental ha	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.)

Orange plates

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) Α

Air transport

PCA Excepted quantities (IATA) E1

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

(1	A Control of Control o		
EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Citrus medica limonum (Lemon) peel oil ; Dimethyl sulfide ; Elemi oil ; Lime oil distilled ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	

EN (English) 27/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	guiation (LC) 1907/2000 amended by Regulation	(10) 1010/010
3(b)	LEMONGRASS & GINGER WS #EU38361F ; Hexyl cinnamic aldehyde ; Linalyl acetate; Citrus medica limonum (Lemon) peel oil ; Linalool; 1(1,2,3,4,5,6,7,8Octahydro- 2,3,8,8tetramethyl- 2naphthalenyl)ethanone; benzyl alcohol; Dimethyl sulfide; Elemi oil; Triplal (Vertocitral); Lime oil distilled; citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	LEMONGRASS & GINGER WS #EU38361F ; Hexyl cinnamic aldehyde ; Citrus medica limonum (Lemon) peel oil ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8hexamethylindeno[5,6c]pyran; galaxolide; (HHCB) ; 1- (1,2,3,4,5,6,7,8Octahydro- 2,3,8,8tetramethyl- 2naphthalenyl)ethanone; Elemi oil ; Triplal (Vertocitral) ; Lime oil distilled ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Citrus medica limonum (Lemon) peel oil; Dimethyl sulfide; Elemi oil; Lime oil distilled; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3/14/2024 (Revision date)

EN (English) 29/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances) 15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : Lemon oil ,Triplal (Vertocitral) are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

: Lemon oil ,Triplal (Vertocitral) are listed

: None of the components are listed

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
Abbreviations and acr	onyms:	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	

EN (English) 31/32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

3/14/2024 (Revision date)

3/14/2024 (Nevision date)	
Full text of H- and EUH-statements:	
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

3/14/2024 (Revision date) EN (English) 32/32